

# Commercial GHS Safety Data Sheet

Version 1.0 Revision Date 10/04/2019 Printed Date 10/04/2019

# **Blackberry Kush (NATURAL)**

# 1. IDENTIFICATION

Product Identifier Blackberry Kush (NATURAL)

 Blend ID
 F00021N

 Revision Date
 10/04/2019

Version 1.0

**CAS Number** Proprietary Mixture **Chemical Family** Terpene Blend

Product Use This material is used for its fragrance.

Supplier Details The Werc Shop Laboratory, LLC

181 W Huntington Drive

Suite 106

Monrovia, CA 91016

**Phone** (310) 925-3854 **Fax** (310) 872-1553

Email FineChem@TheWercShop.com

Web www.TheWercShop.com

**Emergency Phone** 

Number

1-888-641-6711

# 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Health: Skin Sensitization (Category 1) EM Warning
Health: Aspiration Hazard (Category 1) HH Danger
Environmental: Acute Aquatic Toxicity (Category 2) -

Environmental: Chronic Aquatic Toxicity (Category 3) -

#### GHS Label elements, including precautionary statements

GHS Signal Word: DANGER GHS Hazard Pictograms





#### **GHS Hazard Statements**

H317 May cause an allergic reaction.

H412 Harmful to aquatic life with long lasting effects.

#### **GHS Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see Appendix A).
P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container to an approved incineration plant.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P273 Avoid release to the environment.

P501 Dispose of contents/container to an approved incineration plant.

#### Hazards not otherwise classified (HNOC) or not covered by GHS

26% of the mixture contains ingredients with unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

The ingredients and concentration of ingredients of this mixture has been withheld as a trade secret.

Component	Hazard Classification	%	
Component 1	Flammable Liquid (Category 3), Skin Sensitization (Category 1), Skin Irritation (Category 2), Aspiration (Category 1); H226, H304, H315, H317		
Component 2	Flammable Liquid (Category 3), Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory), Acute Aquatic Toxicity (Category 2), Chronic Aquatic Toxicity (Category 2), Acute Oral Toxicity (Category 4); H226, H315, H319, H335, H401, H411, H302	0.0 - 0.1	
Component 3	Skin Irritation (Category 2), Eye Irritation (Category 2A), Acute Aquatic Toxicity (Category 3); H315, H319, H402	0.0 - 0.1	
Component 4	Flammable Liquid (Category 3), Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory), Respiratory Sensitization (Category 1); H226, H315, H319, H334, H335	0.0 - 0.1	
Component 5	Skin Sensitization (Category 1), Skin Irritation (Category 2), Eye Irritation (Category 1) Acute Aquatic Toxicity (Category 3); H315, H317, H318, H402	0.0 - 0.1	
Component 6	Flammable Solid (Category 2), Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory); Acute Toxicity Oral (Category 4); H228, H302, H315, H319, H335	0.1 - 1.0	
Component 7		0.1 - 1.0	
Component 8	Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory); H315, H319, H335	0.1 - 1.0	
Component 9	Flammable Liquid (Category 3); H226	0.1 - 1.0	
Component 10	Flammable Solid (Category 2), Skin Sensitization (Category 1), Acute Aquatic Toxicity (Category 3), Chronic Aquatic Toxicity (Category 3); H228, H317, H402, H412	0.1 - 1.0	
Component 11	Flammable Solid 1; H228	0.1 - 1.0	
Component 12	Flammable Liquid (Category 3); H226	0.1 - 1.0	
Component 13	Flammable Liquid (Category 4), Acute Aquatic Toxicity (Category 1), Chronic Aquatic Toxicity (Category 1); H227, H400, H411	0.1 - 1.0	
Component 14	Acute Oral Toxicity (Category 4); H302	0.1 - 1.0	
Component 15	Flammable Liquid (Category 3), Acute Oral Toxicity (Category 4), Acute Inhalation Toxicity (Category 4); H226, H302, H332	0.1 - 1.0	
Component 16	Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory); H315, H319, H335	1.0 - 10	
Component 17	Flammable Liquid (Category 3), Skin Irritation (Category 2); H226, H315	1.0 - 10	

Commonant 49	Flammable Liquid (Category 3), Skin Sensitization (Category 1), Skin Irritation (Category 2),	4.0.40	
Component 18	Acute Aquatic Toxicity (Category 3), Aspiration (Category 1); H226, H317, H315, H402, H304	1.0 - 10	
Component 19	Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory); Acute Aquatic Toxicity (Category 3); Chronic Aquatic Toxicity (Category 3);	1.0 - 10	
Component 15	H315, H319, H335, H402, H412		
Component 20	Skin Sensitization (Category 1), Chronic Aquatic Toxicity (Category 2); H317, H411	1.0 - 10	
Component 21	Flammable Liquid (Category 3); Skin Sensitization (Category 1), Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory); H226, H317, H315, H319, H335		
Component 22	Flammable Liquid (Category 4), Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory); H227, H315, H319, H335	1.0 - 10	
Component 23	Flammable Liquid (Category 4), Skin Irritation (Category 2), Eye Irritation (Category 2A), STOT-SE (Category 3, Respiratory); H227, H315, H319, H335	1.0 - 10	
Component 24	Flammable Liquid (Category 3), Skin Irritation (Category 2), Eye Irritation (Category 2A), Aspiration (Category 1); H226, H315, H319, H304	10 - 25	
Component 25	Aspiration Hazard (Category 1); H304	10 - 25	
Component 26	Flammable Liquid (Category 3), Skin Sensitization (Category 1), Skin Irritation (Category 2),	10 - 25	
	Acute Aquatic Toxicity (Category 1), Chronic Acute Toxicity (Category 1), Aspiration (Category 1); H226, H304, H315, H317, H400, H410	10 - 25	
Component 27	Skin Irritation (Category 3), Skin Sensitization (Category 1), Aspiration Hazard (Category 1); H316, H317, H304	10 - 25	

# 4. FIRST AID MEASURES

**Inhalation** If woozy, move to an area free from the risk of further exposure. If symptoms persist obtain immediate

medical attention.

**Skin Contact** Flush skin with plenty of soap and water for at least 5 minutes. Seek medical attention in the event of

continuing irritation. Remove and wash contaminated clothing and shoes before re-use.

**Eye Contact** Immediately rinse with running water for at least 5 minutes. Remove contact lenses if present and easy

to do. Continue rinsing. If irritation occurs, seek medical attention.

Ingestion Rinse mouth with water. Never give anything by mouth to an unconscious person. If in doubt, contact a

Poison Control Center or seek medical attention.

# 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

**Inappropriate Media**The use of a heavy water stream may spread fire.

Special Hazards Arising from the Substance or Mixture Carbon oxides

**Advice For Fighters** 

Wear self-contained breathing apparatus and full protective clothing for firefighting if

necessary.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

**Precautions** 

Evacuate personnel to safe areas. Wear suitable PPE as described in section 8. Ensure adequate ventilation and remove all sources of ignition. Don't touch or walk through the spilled material.

Environmental Prev

Prevent migration into groundwater, sewers, or streams. Land spills may require excavation of contaminated soil. Material should not be released into the environment.

Methods and Materials for containment and Clean-up

Contain spill if possible using absorbent pads, pillows, loose sorbent, or solvent absorbent. Use non-sparking tools to mix absorbent with spilled material, then clean using shovel or vacuum cleaner safe from electrostatic discharge.

#### 7. HANDLING AND STORAGE

**Handling Precautions** 

Use in a well ventilated area, using good industrial hygiene practices. Avoid contact with eyes, skin, and clothing, and wear proper PPE (see section 8). Keep away from sources of ignition – no smoking. Take measures to prevent build of electrostatic charge.

**Storage Requirements** 

Store material at ambient temperature and pressure. Keep away from sources of direct heat and moisture. Keep container tightly closed when not in use. Containers can retain product residue after being emptied. Always obey hazards warnings and handle empty containers as though they were full. Avoid contact with oxidizing agents, reducing agents and strong bases.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** 

Provide local exhaust ventilation to keep airborne concentrations below the recommended occupational exposure limits.

Personal Protective Equipment

HMIS PP, C | Safety Glasses, Gloves, Apron

Hand: Chemical resistant gloves (e.g. nitrile, latex, butyl rubber).

**Eye**: Safety glasses with side shields or safety goggles.

**<u>Skin</u>**: Impervious clothing, including but not limited to apron, full body suit, chemical resistant shoes or shoe covers. Use long sleeves and long pants at a minimum.

**Respiratory**: If concentrations are above the occupational exposure limits, an approved respirator should be used (air-purifying or air supplied).

Component	CAS-No.	Value	Control Parameters	Basis
D-Limonene	5989-27-5	TWA	20.00 ppm	USA. ACGIH Threshold Limit Values (TLV)
D-Camphor	76-33-3	TWA	2.00 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
		TWA	2.00 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	3.00 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	2.00 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
Alpha-Pinene	80-56-8	TWA	20.00 ppm	USA. ACGIH Threshold Limit Values (TLV)
Delta-3-Carene	13466-78-9	TWA	20.00 ppm	USA. ACGIH Threshold Limit Values (TLV)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear

Physical State Liquid

Odor Threshold N/A

Particle Size N/A

Spec Gravity/Density N/A

Viscosity No data available

Boiling Point 289.0°C

**Partition Coefficient** No data available No data available **Vapor Pressure** рΗ No data available

N/A Evap. Rate

**Decomposition Temp** No data available

Odor Clove, Citrusy, & Sweet

Solubility No data available

Freezing/Melting Pt. N/A

**Flash Point** 129.0°C

**Vapor Density** No data available **Partition Coefficient:** No data available

n-octanol/water

**Auto-Ignition Temp** No data available

UFL/LFL No data available

**Flammability** No data available

# 10. STABILITY AND REACTIVITY

No data available Reactivity

**Chemical Stability** Stable under normal use/storage conditions.

**Conditions to Avoid** Exposure to extreme temperatures.

**Materials to Avoid** Oxidizing agents, reducing agents and strong bases.

**Hazardous Decomposition**  May liberate carbon oxides during a fire.

**Hazardous Polymerization**  Hazardous Polymerization will not occur.

# 11. TOXICOLOGICAL INFORMATION

Inhalation, ingestion, skin contact are the most likely routes of exposure.

Skin corrosion/irritation No data available

Serious eye damage/eye

irritation

No data available

Respiratory or skin

sensitization

May cause skin sensitization.

No data available Carcinogenicity

Germ cell mutagenicity No data available

Reproductive toxicity No data available

**Teratogenicity** No data available

Specific target organ toxicity single exposure (Globally

No data available

The Werc Shop Laboratory, LLC F00021N

**Harmonized System)** 

Specific target organ toxicity repeated exposure (Globally Harmonized System) No data available

**Aspiration hazard** May be aspiration hazard

Potential health effects May be aspiration hazard

May cause skin sensitization.

Signs and Symptoms of

**Exposure** 

To the best of our knowledge, the chemical, physical, and toxicological

properties have not been thoroughly investigated.

Synergistic effects No data available

No components of this mixture greater in quantities greater than 0.1% are listed in the National Toxicology Program, found to be a potential carcinogen in the International Agency for Research on Cancer Monographs or found to be a potential carcinogen by OSHA.

# 12. ECOLOGICAL INFORMATION

Endpoint/Species/Duration/Result
Persistence and degradability
Bioaccumulative potential
Mobility in soil
No data available on product.
No data available on product.
No data available on product.

# 13. DISPOSAL CONSIDERATIONS

Waste treatments methods: Follow all applicable local, state, and federal disposal regulations. Ensure disposal into adequate flammable liquid waste container. Do not waste into sinks or drains directly.

#### 14. TRANSPORT INFORMATION

Not Transportation Regulated

# 15. REGULATORY INFORMATION

Country	Inventory	Component Status
United States	New Jersey Right to Know	All components
United States	Pennsylvania Right to Know	All components
United States	Massachusetts Right to Know	4-Thujanol, D-Camphor, Alpha-Pinene, & 2- Heptanone
United States	SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
United States	SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

United States	SARA 311/312	None
United States	California Prop. 65	Beta-Myrcene

# **16. OTHER INFORMATION**

Abbreviation Key:

PEL - permissible exposure limit

TWA - time weighted average

TLV - threshold limit value

STEL - short term exposure limit

IDLH - immediately dangerous to life and health

**OSHA** - Occupational Safety and Health Administration

**ACGIH** - American Conference of Governmental Industrial Hygienists

NIOSH - National Institute for Occupational Safety and Health

N/A - Not applicable

LC₅₀ - lethal concentration to 50% of test subjects

LD50 - lethal dose to 50% of test subjects

**STOT-SE** - Specific target organ toxicity (single exposure)

**STOT-RE** - Specific target organ toxicity (repeated exposure)

EC₅₀ - effective concentration that causes 50% of response from test subjects

ErC50- EC50 in terms of growth rate reduction

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

SARA - Superfund Amendments and Reauthorization Act

**TSCA** - Toxic Substances Control Act

**DSL** - Domestic Substances List

NDSL - Non-Domestic Substances List

### 17. APPENDIX A

**First Aid**: IF ON SKIN (or hair): Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. • IF IN **EYES**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. • IF **INHALED**: Remove person to fresh air and keep comfortable for breathing. • IF **SWALLOWED**: Call a poison center/doctor/physician if you feel unwell. **Fire**: Water spray, Dry powder, Foam

This SDS complies with 29 CFR 1910.1200 (THE HAZARD COMMUNICATION STANDARD, USA) and GHS. Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, The Werc Shop Laboratory, LLC makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Werc Shop Laboratory, LLC be responsible for damages of any nature whatsoever resulting from the use of, misuse or reliance upon information. No representations or warranties, either express or implied, or merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to information or the product to which information refers. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure its activities comply with federal, state or provincial and local laws and regulations.

Version 1.0 Revision Date 10/04/2019 Printed Date 10/04/2019